

YAMAMOTO, N. et al.
Serial No. 10/087,994

Atty Dkt: 900-420
Art Unit: 1746

AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Currently Amended) A polymer electrolyte fuel cell comprising:
a housing provided with an anode-side supply inlet for supplying a material for fuel;
an anode and a cathode accommodated in the housing to sandwich a polymer electrolyte membrane; and
a layer containing a biochemical catalyst which decomposes the material for fuel to generate fuel~~hydrogen~~, the layer being formed between the anode-side supply inlet and the anode.

2. (Original) A fuel cell according to claim 1 further comprising an anode-side collector and a cathode-side collector which sandwich the anode and the cathode therebetween, wherein the anode-side collector also serves as the layer containing the biochemical catalyst.

3. (Currently Amended) A polymer electrolyte fuel cell comprising:
a housing provided with an anode-side supply inlet for supplying a material for fuel, the anode-side supply inlet being connected to a supply section for supplying the material for fuel;
an anode and a cathode accommodated in the housing to sandwich a polymer electrolyte membrane; and
a filter containing a layer containing a biochemical catalyst which decomposes the material for fuel to generate fuel~~hydrogen~~, the filter being formed in the supply section.

YAMAMOTO, N. et al.
Serial No. 10/087,994

Atty Dkt: 900-420
Art Unit: 1746

4. (Currently Amended) A fuel cell according to claim 1, wherein the biochemical catalyst comprises one or more selected from hydrogen-generative anaerobic bacteria, hydrogen-generative yeasts, and hydrogen-generative enzymes.

5. (Previously Amended) A fuel cell according to claim 1, wherein the biochemical catalyst comprises a combination of *Clostridium butyricum* and formate-hydrogen lyase.

6. (Currently Amended) A fuel cell according to claim 1, wherein the material for fuel is selected from oxygen-containing hydrocarbons such as alcohols, polysaccharides, aldehydes, ketones and carboxylic acids[[]].

7. (Previously Amended) A fuel cell according to claim 1, wherein the material for fuel is in the form of an aqueous solution.

8. (New) A polymer electrolyte fuel cell comprising:
a housing provided with an anode-side supply inlet for supplying a material for fuel;
an anode and a cathode accommodated in the housing to sandwich a polymer electrolyte membrane; and
a layer containing a biochemical catalyst which decomposes the material for fuel to generate fuel, the layer being formed between the anode-side supply inlet and the anode;
wherein the biochemical catalyst comprises one or more selected from hydrogen-generative anaerobic bacteria, hydrogen-generative yeasts, and hydrogen-generative enzymes.

YAMAMOTO, N. et al.
Serial No. 10/087,994

Atty Dkt: 900-420
Art Unit: 1746

9. (New) A polymer electrolyte fuel cell comprising:
a housing provided with an anode-side supply inlet for supplying a material for fuel;
an anode and a cathode accommodated in the housing to sandwich a polymer electrolyte membrane; and
a layer containing a biochemical catalyst which decomposes the material for fuel to generate fuel, the layer being formed between the anode-side supply inlet and the anode;
wherein the biochemical catalyst comprises a combination of *Clostridium butyricum* and formate-hydrogen lyase.

10. (New) A fuel cell according to claim 8 or 9 further comprising an anode-side collector and a cathode-side collector which sandwich the anode and the cathode therebetween, wherein the anode-side collector also serves as the layer containing the biochemical catalyst.

11. (New) A polymer electrolyte fuel cell comprising:
a housing provided with an anode-side supply inlet for supplying a material for fuel, the anode-side supply inlet being connected to a supply section for supplying the material for fuel;
an anode and a cathode accommodated in the housing to sandwich a polymer electrolyte membrane; and
a filter containing a layer containing a biochemical catalyst which decomposes the material for fuel to generate fuel, the filter being formed in the supply section, wherein the biochemical catalyst comprises one or more selected from hydrogen-generative bacteria, hydrogen-generative yeasts, and hydrogen-generative enzymes.

YAMAMOTO, N. et al.
Serial No. 10/087,994

Atty Dkt: 900-420
Art Unit: 1746

12. (New) A polymer electrolyte fuel cell comprising:

a housing provided with an anode-side supply inlet for supplying a material for fuel, the anode-side supply inlet being connected to a supply section for supplying the material for fuel;

an anode and a cathode accommodated in the housing to sandwich a polymer electrolyte membrane; and

a filter containing a layer containing a biochemical catalyst which decomposes the material for fuel to generate fuel, the filter being formed in the supply section, wherein the biochemical catalyst comprises a combination of *Clostridium butyricum* and formate-hydrogen lyase.

13. (New) A fuel cell according to claim 11 or 12 further comprising an anode-side collector and a cathode-side collector which sandwich the anode and the cathode therebetween, wherein the anode-side collector also serves as the layer containing the biochemical catalyst.

14. (New) A polymer electrolyte fuel cell comprising:

a housing provided with an anode-side supply inlet for supplying a material for fuel, the anode-side supply inlet being connected to a supply section for supplying the material for fuel;

an anode and a cathode accommodated in the housing to sandwich a polymer electrolyte membrane; and

a filter containing a layer containing a biochemical catalyst which decomposes the material for fuel to generate fuel, the filter being formed in the supply section, wherein the material for fuel is selected from oxygen-containing hydrocarbons such as alcohols, polysaccharides, aldehydes, ketones, and carboxylic acids.

YAMAMOTO, N. et al.
Serial No. 10/087,994

Atty Dkt: 900-420
Art Unit: 1746

15. (New) A polymer electrolyte fuel cell comprising:

a housing provided with an anode-side supply inlet for supplying a material for fuel, the anode-side supply inlet being connected to a supply section for supplying the material for fuel;

an anode and a cathode accommodated in the housing to sandwich a polymer electrolyte membrane; and

a filter containing a layer containing a biochemical catalyst which decomposes the material for fuel to generate fuel, the filter being formed in the supply section, wherein the material for fuel is in the form of an aqueous solution.

16. (New) A polymer electrolyte fuel cell comprising:

a housing provided with an anode-side supply inlet for supplying a material for fuel, the anode-side supply inlet being connected to a supply section for supplying the material for fuel;

an anode and a cathode accommodated in the housing to sandwich a polymer electrolyte membrane; and

a filter containing a layer containing a biochemical catalyst which decomposes the material for fuel to generate fuel, the filter being formed in the supply section and being external to the housing.

17. (New) A fuel cell according to claim 16, wherein the biochemical catalyst comprises one or more selected from hydrogen-generative anaerobic bacteria, hydrogen-generative yeasts, and hydrogen-generative enzymes.

18. (New) A fuel cell according to claim 16, wherein the biochemical catalyst comprises a combination of *Clostridium butyricum* and formate-hydrogen lyase.

YAMAMOTO, N. et al.
Serial No. 10/087,994

Atty Dkt: 900-420
Art Unit: 1746

19. (New) A fuel cell according to claim 16, wherein the material for fuel is selected from oxygen-containing hydrocarbons such as alcohols, polysaccharides, aldehydes, ketones, and carboxylic acids.

20. (New) A fuel cell according to claim 16, wherein the material for fuel is in the form of an aqueous solution.

21. (New) A polymer electrolyte fuel cell comprising:
a housing provided with an anode-side supply inlet for supplying a material for fuel;

an anode and a cathode accommodated in the housing to sandwich a polymer electrolyte membrane; and

a layer containing a biochemical catalyst which decomposes the material for fuel comprising one or more material(s) selected from methanol, formaldehyde and formic acid, the layer being formed between the anode-side supply inlet and the anode.

22. (New) A fuel cell according to claim 21 further comprising an anode-side collector and a cathode-side collector which sandwich the anode and the cathode therebetween, wherein the anode-side collector also serves as the layer containing the biochemical catalyst.

23. (New) A polymer electrolyte fuel cell comprising:
a housing provided with an anode-side supply inlet for supplying a material for fuel, the anode-side supply inlet being connected to a supply section for supplying the material for fuel;

an anode and a cathode accommodated in the housing to sandwich a polymer electrolyte membrane; and

YAMAMOTO, N. et al.
Serial No. 10/087,994

Atty Dkt: 900-420
Art Unit: 1746

a filter containing a layer containing a biochemical catalyst which decomposes the material for fuel comprising one or more material(s) selected from methanol, formaldehyde, and formic acid, the filter being formed in the supply section.

24. (New) A fuel cell according to claim 21 or 23, wherein the biochemical catalyst comprises one or more selected from hydrogen-generative anaerobic bacteria, hydrogen-generative yeasts, and hydrogen-generative enzymes.

25. (New) A fuel cell according to claim 21 or 23, wherein the biochemical catalyst comprises a combination of Clostridium butyricum and formate-hydrogen lyase.

26. (New) A fuel cell according to claim 16, wherein the material for fuel is in the form of an aqueous solution.

27. (New) A polymer electrolyte fuel cell comprising:

a housing provided with an anode-side supply inlet for supplying a material for fuel;

an anode and a cathode accommodated in the housing to sandwich a polymer electrolyte membrane; and

a layer containing a biochemical catalyst which decomposes the material for fuel to generate fuel, the layer being formed between the anode-side supply inlet and the anode,

wherein the biochemical catalyst comprises one or more selected from hydrogen-generative anaerobic bacteria, hydrogen-generative yeasts, and hydrogen-generative enzymes, and the material for fuel is selected from oxygen-containing hydrocarbons such as alcohols, polysaccharides, aldehydes, ketones, and carboxylic acids.

YAMAMOTO, N. et al.
Serial No. 10/087,994

Atty Dkt: 900-420
Art Unit: 1746

28. (New) A polymer electrolyte fuel cell comprising:
a housing provided with an anode-side supply inlet for supplying a material for fuel;

an anode and a cathode accommodated in the housing to sandwich a polymer electrolyte membrane; and

a layer containing a biochemical catalyst which decomposes the material for fuel to generate fuel, the layer being formed between the anode-side supply inlet and the anode,

wherein the biochemical catalyst comprises a combination of Clostridium butyricum and formate-hydrogen lyase, and the material for fuel is selected from oxygen-containing hydrocarbons such as alcohols, polysaccharides, aldehydes, ketones, and carboxylic acids.

29. (New) A polymer electrolyte fuel cell comprising:

a housing provided with an anode-side supply inlet for supplying a material for fuel, the anode-side supply inlet being connected to a supply section for supplying the material for fuel;

an anode and a cathode accommodated in the housing to sandwich a polymer electrolyte membrane; and

a filter containing a layer containing a biochemical catalyst which decomposes the material for fuel to generate fuel, the filter being formed in the supply section,

wherein the biochemical catalyst comprises one or more selected from hydrogen-generative anaerobic bacteria, hydrogen-generative yeasts, and hydrogen-generative enzymes, and the material for fuel is selected from oxygen-containing hydrocarbons such as alcohols, polysaccharides, aldehydes, ketones, and carboxylic acids.

YAMAMOTO, N. et al.
Serial No. 10/087,994

Atty Dkt: 900-420
Art Unit: 1746

30. (New) A polymer electrolyte fuel cell comprising:

a housing provided with an anode-side supply inlet for supplying a material for fuel, the anode-side supply inlet being connected to a supply section for supplying the material for fuel;

an anode and a cathode accommodated in the housing to sandwich a polymer electrolyte membrane; and

a filter containing a layer containing a biochemical catalyst which decomposes the material for fuel to generate fuel, the filter being formed in the supply section;

wherein the biochemical catalyst comprises a combination of Clostridium butyricum and formate-hydrogen lyase, and the material for fuel is selected from oxygen-containing hydrocarbons such as alcohols, polysaccharides, aldehydes, ketones, and carboxylic acids.

31. (New) A polymer electrolyte fuel cell comprising:

a housing provided with an anode-side supply inlet for supplying a material for fuel;

an anode and a cathode accommodated in the housing to sandwich a polymer electrolyte membrane; and

a layer containing a biochemical catalyst which decomposes the material for fuel to generate fuel, the layer being formed between the anode-side supply inlet and the anode,

wherein the biochemical catalyst comprises one or more selected from hydrogen-generative anaerobic bacteria, hydrogen-generative yeasts, and hydrogen-generative enzymes, and the material for fuel is in the form of an aqueous solution.

YAMAMOTO, N. et al.
Serial No. 10/087,994

Atty Dkt: 900-420
Art Unit: 1746

32. (New) A polymer electrolyte fuel cell comprising:

a housing provided with an anode-side supply inlet for supplying a material for fuel;

an anode and a cathode accommodated in the housing to sandwich a polymer electrolyte membrane; and

a layer containing a biochemical catalyst which decomposes the material for fuel to generate fuel, the layer being formed between the anode-side supply inlet and the anode;

wherein the biochemical catalyst comprises a combination of Clostridium butyricum and formate-hydrogen lyase, and the material for fuel is in the form of an aqueous solution.

33. (New) A polymer electrolyte fuel cell comprising:

a housing provided with an anode-side supply inlet for supplying a material for fuel, the anode-side supply inlet being connected to a supply section for supplying the material for fuel;

an anode and a cathode accommodated in the housing to sandwich a polymer electrolyte membrane; and

a filter containing a layer containing a biochemical catalyst which decomposes the material for fuel to generate fuel, the filter being formed in the supply section;

wherein the biochemical catalyst comprises one or more selected from hydrogen-generative anaerobic bacteria, hydrogen-generative yeasts, and hydrogen-generative enzymes, and the material for fuel is in the form of an aqueous solution.

YAMAMOTO, N. et al.
Serial No. 10/087,994

Atty Dkt: 900-420
Art Unit: 1746

34. (New) A polymer electrolyte fuel cell comprising:

a housing provided with an anode-side supply inlet for supplying a material for fuel, the anode-side supply inlet being connected to a supply section for supplying the material for fuel;

an anode and a cathode accommodated in the housing to sandwich a polymer electrolyte membrane; and

a filter containing a layer containing a biochemical catalyst which decomposes the material for fuel to generate fuel, the filter being formed in the supply section;

wherein the biochemical catalyst comprises a combination of *Clostridium butyricum* and formate-hydrogen lyase, and the material for fuel is in the form of an aqueous solution.